

NEW

DCS

Digital Control System
**THE SOLUTION
TWO in ONE!**



Oksys[®]

**TOTAL DESIGN FOR
BEST PERFORMANCE**



**FAST
SERIE**





2026

100% IN THE COMPANY

Starting from the **IDEA**

Moving on from **DESIGN**

To get to **PRODUCTION**



You can control the machine either via Tablet / Smartphone or with Keyboard and Display.

MAXIMUM FLEXIBILITY

- A dedicated tablet or a personal tablet (Android or iOS) can be used.

SIMPLE AND INTUITIVE CONTROL

- Complete control of the machine through all its operating phases, even remotely (up to 10 meters)
- Machine set-up before the service
- Operation history of all services performed

FAST AND EASY NETWORK CONNECTION

- Remote assistance and alert notifications.
- Vehicle database included and always up to date.
- Sending and archiving receipts via tablet.


EASILY CUSTOMIZABLE

- Creation of a customized database with search for the most frequent vehicles

ERGONOMICS

- Control panel designed to easily store and hold the tablet






MACHINE PROGRAMMING

- Data can be entered manually or retrieved from the database.
- Individual customization of all work phases.
- License plate entry to retrieve each individual service.




WORK PHASE MONITORING


- Each machine's work phase is monitored on the tablet to always have full control at your fingertips.




ENTRY OF WORKSHOP DATA FOR CUSTOMIZATION OF PAPER AND ELECTRONIC RECEIPTS



DISPLAY OF ALL SERVICES PERFORMED IN THE LAST YEAR



SERVICE SELECTION AND THE POSSIBILITY TO SEND IT VIA EMAIL / WHATSAPP, etc.





POSSIBILITY TO USE THE SAME TABLET ON MULTIPLE UNITS




VEHICLE SEARCH ON AN UP-TO-DATE ONLINE DATABASE


- Vehicle programming directly from the tablet



CREATION OF A CUSTOMIZED DATABASE




MAINTENANCE AND SERVICING



ONLINE HELP THAT EXPLAINS ALL THE WORK PHASES THE MACHINE IS CURRENTLY IN



CONNECTION OF THE STATION TO THE WI-FI NETWORK



SELECTION OF THE REFRIGERANT TYPE DURING THE INSTALLATION PHASE

TRE LINE



The new TRE line represents an absolute **innovation** where models with advanced features are proposed:


- Always integrated **WIFI** that allows the **TELE-MAINTENANCE** and remote viewing of machines
- The integrated **INSPECTOR** system or refrigerant quality control
- **WARRANTY EXTENSION** up to 3 years
- **NEW CABINET** that allows better accessibility and maintenance
- Possibility to **SELECT THE GAS** at the time of installation



REMOTE MAINTENANCE

1... 2...
TRE
YEARS
WARRANTY

THREE YEARS WARRANTY
(ANNUAL
MAINTENANCE)



SELECTABLE
REFRIGERANT
UPON INSTALLATION

DCS

DIGITAL
CONTROL
SYSTEM





Oksys^s Gen+

Oksys HIGHLIGHTS

Oksys[®]
LAB

CONTROL OF UNITS ON FIELD



FAST 330TRE

DCS

1... 2...
TRE
YEARS
WARRANTY

A/C SYSTEM DIAGNOSYS

INSPECTOR

BLUETOOTH AND WIFI
CONNECTION **OksysGen+ APP**

OIL
LOCK

AUTOMATIC OIL
AND DYE INJECTION
with dedicated scale

FULLY AUTOMATIC



CHARACTERISTICS	
	FAST 333
	SCF333X
INTERNAL DATABASE Oksyslab registration included	✓
INTERNAL WASH	✓
ANTIDUST BLANKET	✓
EASYFLASH - INSPECTOR	✓
A/C SYSTEM DIAGNOSYS	✓
TECHNICAL FEATURES	
DISPLAY	Graphic LCD 256x64 Pixel
TANK CAPACITY	12 Kg
HEATER BELT	SI
SCALE ACCURACY	+/- 5 g
COMPRESSOR	10 cc
VACUUM PUMP	100 l/min
AIR PURGE	Automatic
POWER SUPPLY	220V 50 Hz
WEIGHT	60/69 Kg
PACKAGING DIMENSIONS	63x63x123 cm

SCF333.H

SCF333X

+

ACC0014
KIT 1234yf with:
LP + HP COUPLERS + 3m HOSES
+ TANK ADAPTER REFRIGERANT
STICKER

SCF333.R

SCF333X

+

ACC0015
KIT R134 with:
LP + HP COUPLERS + 3m HOSES
+ TANK ADAPTER REFRIGERANT
STICKER

SELECTABLE
REFRIGERANT
AT INSTALLATION



TELEMAINTENANCE



HYBRID VEHICLES
FUNCTION

AUTOMATIC
NITROGEN TEST
(optional)

A/C SYSTEM
PROFESSIONAL FLUSHING

OPTIONAL ACCESSORIES

Download
the
sheet:



	O-PK00052 O-PK00051 OPZ	Printer kit
	ACC-FLUSHING	A/C System Professional Flushing
	GAS ID GAS ID OPZ	SAE J 2843 intern HFO1234YF refrigerant identifier
	ACC0017	Nitrogen kit for 1/2,2 lt bottle



FULLY AUTOMATIC



CHARACTERISTICS		FAST 313
		SCF313X
INTERNAL DATABASE	Oksyslab registration included	✓
INTERNAL WASH		✓
TECHNICAL FEATURES		
DISPLAY	Graphic LCD	256x64 Pixel
TANK CAPACITY		12 Kg
HEATER BELT		SI
SCALE ACCURACY		+/- 5 g
COMPRESSOR		10 cc
VACUUM PUMP		100 l/min
AIR PURGE		Automatic
POWER SUPPLY		220V 50 Hz
WEIGHT		61/70 Kg
PACKAGING DIMENSIONS		63x63x123 cm

SCF313.H

SCF313X + ACC0014 KIT 1234yf with:
LP + HP COUPLERS + 3m HOSES
+ TANK ADAPTER REFRIGERANT
STICKER

SCF313.R

SCF313X + R134 REFRIGERANT KIT R134 with:
LP + HP COUPLERS + 3m HOSES
+ TANK ADAPTER REFRIGERANT
STICKER



OPTIONAL
ACCESSORIES

Download
the
sheet:



	O-PK00052 O-PK00051 OPZ	Printer kit
	ACC-BLK-FAST300	Antidust blanket
	OAC0006	Hybrid Vehicle Kit for Oil Lock System
	GAS ID GAS ID OPZ	SAE J 2843 intern HFO1234YF refrigerant identifier
	ACC0017	Nitrogen kit for 1/2,2 lt bottle

ECOS 300TRE

DCS

1... 2...
TRE
YEARS
WARRANTY

BLUETOOTH AND WIFI
CONNECTION **OKSYGEN+ APP**

OIL
LOCK

AUTOMATIC OIL
AND DYE INJECTION

FULLY AUTOMATIC

EASY MAINTENANCE

CHARACTERISTICS

ECOS 303	
SCE303X	
INTERNAL DATABASE Oksyslab registration included	✓
INTERNAL WASH	✓
TECHNICAL FEATURES	
DISPLAY	Graphic LCD 128x64 Pixel
TANK CAPACITY	9 Kg
HEATER BELT	SI
SCALE ACCURACY	+/- 5 g
COMPRESSOR	10 cc
VACUUM PUMP	50 l/min
AIR PURGE	Automatic
POWER SUPPLY	220V 50 Hz
WEIGHT	50/59 Kg
PACKAGING DIMENSIONS	55x59x118 cm

SCE303.H

SCE303X

+

ACC0014
KIT 1234yf with:
LP + HP COUPLERS + 3m HOSES
+ TANK ADAPTER REFRIGERANT
STICKER

SCE303.R

SCE303X

+

ACC0015
KIT R134 with:
LP + HP COUPLERS + 3m HOSES
+ TANK ADAPTER REFRIGERANT
STICKER

SELECTABLE REFRIGERANT
AT INSTALLATION

TELEMAINTENANCE

HYBRID VEHICLES
FUNCTION
(optional)

OPTIONAL ACCESSORIES

Download the sheet:

	O-PK00052 O-PK00051 OPZ	Printer kit
	ACC-BLK-ECOS300	Antidust blanket
	OAC0006	Hybrid Vehicle Kit for Oil Lock System

THE HD LINE



The HD line represents the **best solution** for charging stations, robust and transportable.

All units can be used in the workshop for normal services, but can also be transported to the field.

Additional features include:

ROBUST metal **CABINET** with reinforced scale.


Possibility to **SELECT THE GAS** upon installation.



REMOTE MAINTENANCE

1... 2...
TRE
YEARS
WARRANTY

THREE YEARS WARRANTY
(ANNUAL
MAINTENANCE)




SELECTABLE
REFRIGERANT
UPON INSTALLATION



Oksys
LAB

CONTROL OF UNITS ON FIELD



REMOTE MAINTENANCE





HD MASTER 300TRE

AGRICOLD



1... 2...
TRE
YEARS
WARRANTY



BLUETOOTH AND WIFI
CONNECTION OKSYGEN+ APP



AUTOMATIC OIL
AND DYE INJECTION

FULLY AUTOMATIC



FOUR ANTI-VIBRATION FEET
ENSURE STABILITY DURING USE

CHARACTERISTICS


HD MASTER 303 AGRICOLD	
SCG303X	
INTERNAL DATABASE Oksyslab registration included	✓
INTERNAL WASH	✓
TECHNICAL FEATURES	
DISPLAY	Grafico LCD 264x64 Pixel
TANK CAPACITY	12 Kg
HEATER BELT	SI
SCALE ACCURACY	+/- 5 g
COMPRESSOR	10 cc
VACUUM PUMP	100 l/min
AIR PURGE	Automatic
POWER SUPPLY	220V 50 Hz 12V DC
WEIGHT	60/69 Kg
PACKAGING DIMENSIONS	68x58x100 cm

SCG303.H

SCG303X + ACC0026
KIT 1234yf with:
LP + HP COUPLERS + 7,5m
HOSES + TANK ADAPTER
REFRIGERANT STICKER

SCG303.R

SCG303X + R134
KIT R134 with:
LP + HP COUPLERS + 7,5m
HOSES + TANK ADAPTER
REFRIGERANT STICKER



SELECTABLE REFRIGERANT
AT INSTALLATION



HYBRID VEHICLES
FUNCTION
(optional)



PANNELLO DI PROTEZIONE

OPTIONAL ACCESSORIES

Download
the
sheet:

	O-PK00052 O-PK00051 OPZ	Printer kit
	ACC-BLK-AGRI300	Antidust blanket
	ACC0028	Pannello di protezione
	OAC0006	Hybrid Vehicle Kit for Oil Lock System
	OAC0002-KIT	12 V Power supply



1... 2...
TRE
YEARS
WARRANTY



Oksy⁺Gen⁺
Oksys
LAB
BLUETOOTH AND WIFI
CONNECTION **OKSYGEN⁺ APP**



**AUTOMATIC OIL
INJECTION**

FULLY AUTOMATIC



CHARACTERISTICS

HD MOBILE 303
AGRILITE

SCR303X

INTERNAL DATABASE
Oksyslab registration included

✓

INTERNAL WASH

✓

TECHNICAL FEATURES

DISPLAY	Graphic LCD 128x64 Pixel
TANK CAPACITY	8,7 Kg
HEATER BELT	SI
SCALE ACCURACY	+/- 5 g
COMPRESSOR	10 cc
VACUUM PUMP	50 l/min
AIR PURGE	Automatic
POWER SUPPLY	220V 50 Hz - 12V
WEIGHT	46/53 Kg
PACKAGING DIMENSIONS	55x59x68 cm

SCR303.H



SCR303X

+



ACC0026

KIT 1234yf with:
LP + HP COUPLERS + 7,5m
HOSES + TANK ADAPTER
REFRIGERANT STICKER

SCR303.R




SCR303X

+



ACC0027

KIT R134 with:
LP + HP COUPLERS + 7,5m
HOSES + TANK ADAPTER
REFRIGERANT STICKER



**SELECTABLE REFRIGERANT
AT INSTALLATION**



**HYBRID VEHICLES
FUNCTION
(optional)**

OPTIONAL ACCESSORIES

Download
the
sheet:



	O-PK00052 O-PK00052 OPZ	Printer kit
	ACC-BLK-AGLT300	Antidust blanket
	OAC0007 / OAC0009	Support Trolley for Agrilite / DUALITE
	OAC0006	Hybrid Vehicle Kit for Oil Lock System
	OAC0002-KIT	12 V Power supply

AGRILITE



FULLY AUTOMATIC



HD MOBILE 303 AGRILITE

SCR303X

4

1

TECHNICAL FEATURES

Graphic LCD
128x64 Pixel

8,7 Kg

SI

+/- 5 g

10 cc

50 l/min

Automatic

220V 50 Hz - 12V

46/53 Kg

55x59x68 cm



OPTIONAL ACCESSORIES

**Download
the
sheet:**



	O-PK00052 O-PK00052 OPZ	Printer kit
	ACC-BLK-DUALITE	Antidust blanket
	OAC0006	Hybrid Vehicle Kit for Oil Lock System
	OAC0002-KIT	12 V Power supply

HD 302 BUS

DCS

1... 2... TRE YEARS WARRANTY

Oksys Gen+

Oksys LAB

BLUETOOTH AND WIFI CONNECTION

Oksys Gen+ APP

OIL LOCK

AUTOMATIC OIL AND DYE INJECTION

with dedicated scale

FULLY AUTOMATIC



CHARACTERISTICS	
	SCH302R
	SCH302H
INTERNAL DATABASE Oksyslab registration included	✓
INTERNAL WASH	✓
TECHNICAL FEATURES	
DISPLAY	Graphic LCD 256x64 Pixel
TANK CAPACITY	35 Kg
HEATER BELT	SI
SCALE ACCURACY	+/- 5 g
COMPRESSOR	20 cc
VACUUM PUMP	200 L/min Doppio Stadio
AIR PURGE	Automatic
POWER SUPPLY	220V 50 Hz
WEIGHT	110/122 Kg
PACKAGING DIMENSIONS	60x67x126 cm

SCH302H

+

SCH302R

+

HYBRID VEHICLES FUNCTION

OPTIONAL ACCESSORIES

Download the sheet:



	O-PK00052 O-PK00051 OPZ	Printer kit
	ACC0007	Charging pump 1 L/min.

RANGE

	TRE LINE			HD LINE		
MODEL	FAST 333	FAST 313	ECOS 303	HD MASTER - AGRICOLD	HD MOBILE - AGRILITE	HD BUS
TECHNICAL FEATURES						
Process	Fully Automatic	Fully Automatic	Fully Automatic	Fully Automatic	Fully Automatic	Fully Automatic
Display	Grafic LCD 264x64 Pixel	Grafic LCD 264x64 Pixel	Grafic LCD 128x64 Pixel	Grafic LCD 264x64 Pixel	Grafic LCD 128x64 Pixel	Grafic LCD 264x64 Pixel
Total Recovery Function	YES	YES	YES	YES	YES	YES
Tank Capacity	12 Kg	12 Kg	9 Kg	12 Kg	8,7 Kg	35 Kg
Heating Belt	YES	YES	YES	YES	YES	YES
Scale Accuracy	+/- 5 g	+/- 5 g	+/- 5 g	+/- 5 g	+/- 5 g	+/- 5 g
Automatic Oil Injection	YES 1 Scale	YES 1 Scale	YES	YES	YES	YES 1 Scale
Automatic Dye Injection	YES 1 Scale	YES 1 Scale	YES	Opzione	NO	YES 1 Scale
Printer	Option	Option	Option	Option	Option	Option
Compressor	10 cc	10 cc	10 cc	10 cc	10 cc	20 cc
Vacuum Pump	100 l/min	100 l/min	50 l/min	100 l/min	50 l/min	200 L/min Double stage
Air Bleed	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic
Status Indicators	YES	YES	NO	NO	NO	NO
Data Base	YES	YES	YES	YES	YES	YES
A/C Diagnostics	YES	Only pressure test	Only pressure test	Only pressure test	NO	Only pressure test
Hybrid Vehicles	YES	Option	Option	Option	Option	YES
Nitrogen Leak Test	Automatic	Automatic	NO	NO	NO	NO
Integrated HFO1234YF Refrigerant Analyzer	YES	YES	NO	NO	NO	NO
A/C Flushing Kit	Option	NO	NO	NO	NO	NO
Bluetooth / WIFI Connection	Bluetooth / WIFI	Bluetooth / WIFI	Bluetooth / WIFI	Bluetooth / WIFI	Bluetooth / WIFI	Bluetooth
Remote Control / Interface	YES via Bluetooth / WIFI	YES via Bluetooth / WIFI	YES via Bluetooth / WIFI	YES via Bluetooth / WIFI	YES via Bluetooth / WIFI	YES via Bluetooth / WIFI
Filling Pump	NO	NO	NO	NO	NO	Opzione
12V Power Supply	NO	NO	NO	Option	Option	NO
Standard Power Supply	220V 50/60 Hz	220V 50/60 Hz	220V 50/60 Hz	220V 50/60 Hz	220V 50/60 Hz	220V 50/60 Hz
Dimensions	58x59x107 cm	58x59x107 cm	52x55x96 cm	64x54x86 cm	46x53x54 cm	63x58x112 cm
Weight	60/69 Kg	61/70 Kg	50/59 Kg	60/69 Kg	46/53 Kg	110/122 Kg
Packaging Dimensions	63x63x123 cm	63x63x123 cm	55x59x118 cm	68x58x100 cm	55x59x68 cm	67x60x126 cm
SUPPLIED WITH:						
Dust Cover	YES	Option	Option	Option	Option	NO
Power supply Cable	YES	YES	YES	YES	YES	YES
Calibration Hook	YES	YES	YES	YES	YES	YES
Extra Hybrid Oil Bottle	YES	Option	Option	Option	Option	YES
2x Temperature Probes	Included	NO	NO	NO	NO	Included
OIL LOCK	YES	YES	YES	YES	YES	YES

SPECIAL TOOLS

LEAK DETECTOR WITH NITROGEN OR HYDRONITROGEN





STL18xx

Nitrogen and Hydrogen leak detection kit

Including:

- Case
- Pressure regulator
- Adapter for 1 or 2.2 litre bottle
- Hoses and fittings
- Pressure regulation gauge
- Adapter for A/C station




STL18xx.F = STL18xx + STL0002

	CODE	DESCRIPTION
	CFU-13.209	1 liter bottle 110 BAR
	CFU-13.209/2	2,2 liters bottle 110 BAR
	STL0002 (ex CFU-12.036)	Electronic Leak Detector for Hydronitrogen
	STL0001 (ex CFU-12.033)	Electronic Leak Detector for R134a and HFO1234YF

SPECIAL TOOLS

REFRIGERANT ANALYSIS



STD0005

STD0005
CHECK GLASS

Diagnostic Kit for the quality of
refrigerant in the A/C system

3 in 1!



REFRIGERANT ANALYSIS

	CODE	DESCRIPTION
	STD0002	Portable analyzer for HFO1234YF
	STD0003	Portable analyzer for R134a

SPECIAL TOOLS

UNIVERSAL RECOVERY DEVICE

	CODE	DESCRIPTION
	STR0005 (ex ACC-UNREC-3/4HP)	Universal Refrigerant Recovery Unit Compatible with R134a and HFO1234YF refrigerants
	STR0004 (ex ACC-RECKIT-HFO-3/4HP)	Complete Refrigerant Recovery Kit compatible with R134a and HFO1234YF refrigerants, including hoses, couplers, 8 litre bottle and electronic scale

STAND ALONE A/C FLUSHING SYSTEM

ACC0013
FLUSHING SA

Stand Alone Washing System



ADD0006
5l tank of flushing liquid



ACC0013

ADDITIVES / LEAK DETECTORS / ACCESSORIES

COMPRESSOR OILS

	CODE	DESCRIPTION
	ADD0011	PAG46 compressor oil for R134a - 6x250ml
	ADD0010	Universal PAG compressor oil for R134a, HFO1234YF - 6x250 ml
	ADD0012	POE - Hybrid Vehicle Oil R134a and HFO1234YF - 6x250ml (Dielectric Factor 75KW/2.5mm)
	ADD0013	Oil bottle + dye for R134a and HFO1234YF - 6x250ml Metal container, 250 ml

SPECIAL OIL AND DEHYDRATOR SOLUTION

	CODE	DESCRIPTION
	ADD0007	6x250 ml Universal PAG oil, with OIL LOCK included

DYE INJECTION

	CODE	DESCRIPTION
	CFU-611.005.U	UV Dye 250ml for R134a and HFO1234YF - 6x250ml

ADDITIVES / LEAK DETECTORS / ACCESSORIES

LEAK DETECTOR ACCESSORIES

	CODE	DESCRIPTION
	CFU-13.041	Piston injector for oil and dye for R134a
	CFU-13.041YF	Piston injector for oil and dye for HFO1234YF
	CFU-611.021T	Dye cleaner 400 ml
	CFU-12.008	UV leak detection lamp with glasses
	CFU-12.003	60W UV Leak Detection Lamp with Glasses - Rechargeable


ADDITIVES / LEAK DETECTORS / ACCESSORIES

VARIOUS ACCESSORIES

	CODE	DESCRIPTION
	ACC-12.026	Digital Thermometer
	ACC-12.022	Infrared Thermometer
	ACC-13.092	Protective Gloves
	ACC-12.011	Glasses
	ADD-611.024	Antibacterial Spray 6x20 ml

ADAPTERS / HOSES

ADAPTERS

	CODE	DESCRIPTION
	ACC0011	Bottle adapter for R134a
	ACC-88.289H	Universal bottle adapter for HFO1234YF
	ACC-13.038YF	FORD FIESTA high pressure extension
	ACC-13.039YF	FORD FIESTA low pressure extension
	ACC-13.038D ACC-13.038DYF	BMW / FORD adapter
	ACC-13.095 ACC-13.095YF	RENAULT adapter

ADAPTERS / HOSES

PARKER QUICK COUPLERS

	CODE	DESCRIPTION
	RCD0103.L1	Parker Low Pressure Adapter (R134a)
	RCD0104.L1	Parker High Pressure Adapter (R134a)
	RCD0106	Parker Low Pressure Adapter (HFO1234YF)
	RCD0105	Parker High Pressure Adapter (HFO1234YF)

UNIT SET-UP KIT

	CODE	DESCRIPTION
	ACC0027	7.5m High/Low Pressure Hose Kit, Quick Couplers and bottle Adapters for 1234YF (for TRE line)
	ACC0026	7.5m High/Low Pressure Hose Kit, Quick Couplers and Cylinder Adapters for R134a (for TRE line)
	ACC0014	3m high/low pressure hoses kit, quick couplings and bottle adapters for R1234YF (for TRE line)
	ACC0015	3m high/low pressure hoses kit, quick couplings and bottle adapters for R134a (for TRE line)



MAINTENANCE

PERIODIC MAINTENANCE

	CODE	DESCRIPTION
	ADD0003	Vacuum pump oil, 250ml bottle
	ADD0004	Vacuum Pump Oil, 250ml Bottle 6x
	ADD0014	5 liter vacuum pump oil tank
	FLT0005	Dehydrator Filter for ECOS - FAST- AGRICOLD – AGRILITE Family
	FLT0026	Dehydrator Filter for ECOS - FAST- AGRICOLD – AGRILITE Family 6x
	FLT0007	Dehydrator Filter for HD202 / 302
	FLT0036	Dehydrator Filter for HD202 / 302 6x
	ACC0005	Gaskets set
	ACC-9000009-10	Packing of 10 paper rolls for printer
	ACC-5SGLAS-F	Replacement filter for ACC-FLUSHING 5 pcs.
	ADD-0001	Box of 6 OIL LOCK dehydrator cartridges
	IMB39xx	Packing Kit to ship
	OAC0010	ANNUAL maintenance kit

MAINTENANCE

MAINTENANCE ACCESSORIES

	CODE	DESCRIPTION
	ACC-12.031	Electronic Scale
	ACC-12.033FK	4-Ways Pressure Gauge Kit - HF01234YF
	ACC-12.033K	4-Ways Pressure Gauge Kit – R134a
	ACC-13.051	Valve core remover
	ACC-CAL	Load Cell Calibration Kit
	BMB0012	Refillable 7L refrigerant bottle HF01234YF
	OAC0005	Update USB Kit - 300 Series
	OAC0001	Update USB Kit - 200 Series
	ACC0006	Compressor Test Kit



**TOTAL DESIGN FOR
BEST PERFORMANCE**



oksys.com



Oksys srl Via dell'Albereto, 33D - 50041 Calenzano (FI) - ITALY
Tel. +39 055 8990665 Fax +39 055 8947382 info@oksys.com

www.oksys.com